






Play Pods

QUAD POD

OCEAN THEME



ADAPTABLE FOOTPRINT



ADJUSTABLE
HEIGHT

SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	1,3m-1,5m (adjustable & based on chosen attachments)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

PLAY VALUE



MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE
- NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

INSTALLATION

- no power tools
- min. disruption
- no excavation
- 1 day assembly
- all tools supplied
- anyone can assemble

COLOUR SCHEME



DATE 06-2026

Play Pods

QUAD POD

OCEAN THEME



SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	1,3m-1,5m (adjustable & based on chosen attachments)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

PLAY VALUE



MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE
- NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

INSTALLATION

	no power tools		1 day assembly
	min. disruption		all tools supplied
	no excavation		anyone can assemble

COLOUR SCHEME



DATE 06-2026

Play Pods

QUAD POD


OCEAN THEME



SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	1,3m-1,5m (adjustable & based on chosen attachments)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

PLAY VALUE



MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE
- NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

INSTALLATION

	no power tools		1 day assembly
	min. disruption		all tools supplied
	no excavation		anyone can assemble

COLOUR SCHEME



DATE 06-2026