





Play Pods

QUAD POD

SPACE THEME



ADAPTABLE FOOTPRINT



ADJUSTABLE HEIGHT

SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	1.4m-1.6m (adjustable & based on chosen attachments)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

PLAY VALUE



MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

INSTALLATION

- no power tools
- min. disruption
- no excavation
- 1 day assembly
- all tools supplied
- anyone can assemble

COLOUR SCHEME



DATE 06-2026

Play Pods

QUAD POD

SPACE THEME



SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	1,4m-1,6m (adjustable & based on chosen attachments)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

PLAY VALUE



MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

INSTALLATION

- | | |
|-----------------|---------------------|
| no power tools | 1 day assembly |
| min. disruption | all tools supplied |
| no excavation | anyone can assemble |

COLOUR SCHEME



DATE 06-2026

Play Pods

QUAD POD

SPACE THEME



SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	1,4m-1,6m (adjustable & based on chosen attachments)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

PLAY VALUE



MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

INSTALLATION

- | | |
|---|---|
|  no power tools |  1 day assembly |
|  min. disruption |  all tools supplied |
|  no excavation |  anyone can assemble |

COLOUR SCHEME



DATE 06-2026