







# Play Pods

## TRIPLE POD

AP-POD-03



### ADAPTABLE FOOTPRINT



### SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	0,95m-1,2m (adjustable)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

### PLAY VALUE



### MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

### INSTALLATION

- no power tools ✓ 1 day assembly
- min. disruption ✓ all tools supplied
- no excavation ✓ anyone can assemble

### COLOUR SCHEME




DATE 07-2026

Play Pods

# TRIPLE POD

AP-POD-03



## SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	0,95m-1,2m (adjustable)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

## PLAY VALUE



## MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

## INSTALLATION

- |                 |                     |
|-----------------|---------------------|
| no power tools  | 1 day assembly      |
| min. disruption | all tools supplied  |
| no excavation   | anyone can assemble |

## COLOUR SCHEME



DATE

07-2026

Play Pods  
**TRIPLE POD**  
 AP-POD-03



### SPECIFICATIONS

COMPLIANCE	AS 4685:2121, NZS 5828:2015
AGE RANGE	Toddlers & Pre-Schoolers
FALL HEIGHT	0,95m-1,2m (adjustable)
OVERALL DIM.	Varies-see configuration
SOFTFALL AREA	Required-see configuration
SUPERVISION	Responsible adult-when in use

### PLAY VALUE



### MATERIALS

- UV STABLE HDPE
- POWDER COATED MARINE GRADE ALUMINIUM
- HIGH PERFORMANCE EXTERIOR GRADE NON-SLIP PLYWOOD
- POWDER COATED 304 STAINLESS STEEL
- STAINLESS STEEL FASTENERS
- 16MM WOVEN NYLON ROPE
- MACHINED ALUMINIUM ROPE FITTINGS

### INSTALLATION

- no power tools  1 day assembly
- min. disruption  all tools supplied
- no excavation  anyone can assemble

### COLOUR SCHEME



DATE 07-2026